

① STANDARD COLORS



② RUBBER BLENDS




③ FLOOR-ESSENCE METALLICS




④ RANDOM FLAKE BLENDS




⑤ TERRAZZO ROCK BLENDS



⑥ GRANITE ROCK BLENDS



⑦ MARBLE FLAKE BLENDS



⑧ L/S/H FLAKE BLENDS



# ROCK-TRED SOLUTION GUIDE

WHEN YOU NEED A SOLUTION  
CALL ROCK-TRED



POLYMER COATING SOLUTIONS

## Defining Excellence Since 1939

405 N. Oakwood Avenue. Waukegan, Illinois. 60085  
www.ROCKTRED.com • (888) Rock-Tred • sales@rocktred.com

405 N. Oakwood Avenue. Waukegan, Illinois. 60085 • www.ROCKTRED.com • (888) Rock-Tred

Colors are representative. Actual colors may vary from this chart.  
Please see your Rock-Tred Representative for samples.

All concrete should be tested for moisture and treated with  
Rock-Tred's ROCK-BLOCK Moisture Vapor Barrier when indicated




# DECORATIVE



POLYMER COATING SOLUTIONS

# INDUSTRIAL


## FLOOR ESSENCE METALLICS




## ARMOR-FLAKE




## POXI-ROCK TD




## ROCK-TRED SL




## GRANITE-ROCK




## PHOTO-FLOOR & WALL




## TERRAZZO-ROCK



## CHEM-ROCK BC



## NOVO-POXI CR



Creating beautiful floors that last over time is our hallmark.

### FLOOR ESSENCE METALLIC SYSTEM

Available Colors: ③

This system can be made to look like metal, wood or stone. Different metallic pigments and finishing techniques can be combined to create endless design possibilities. The variables that contribute to the "feel" of the floor are endless. Each floor is a unique, one-of-a-kind creation. This system is recommended to be only installed by contractors who have completed the Rock-Tred Institute 1, 2, & 3.

### ARMOR-FLAKE

Available Colors: \*④ ⑦ ⑧

Our Armor-Flake flooring system is available as a random flake\* or a full flake system. It is the perfect choice for light to medium duty areas where aesthetics are a must. This system is typically installed at 1/16" - 1/8" with either a single or double broadcast of flakes. Once top coated with our Chem-Rock Ultra UV or P-50/P-100 this system will maintain its crisp color for years and years without yellowing. \*When installing as a random flake finish substitute tinted Chem-Rock LV or P50/100 for clear Eco-Poxi broadcast coat.

### GRANITE-ROCK

Available Colors: ⑥

Color quartz floors typically look great for a few months, but then begin to get dull and dirty looking. Not true with Granite-Rock! Granite-Rock aggregate has a ceramic baked finish which keeps our colors true even in the harshest sunlight.

### PHOTO-FLOOR

If a picture speaks a thousand words then this system screams for your attention! Photo-Floor & Wall can be used with nearly any Rock-Tred system to cover an entire area in polymer encapsulated custom graphics, or to permanently place logos or signage. Let our Photo-Floor & Wall do the talking and leave your customers speechless!

### TERRAZZO-ROCK

Available Colors: ⑤

Our Terrazzo-Rock System provides the creative design elements, low maintenance and high durability of traditional terrazzo, but at a fraction of the cost and time to install.

Creating long term flooring solutions for industry is our lineage!

### POXI-ROCK TD

Available Colors: ①

When heavy point loads, scraping, impact and vibration are at work there is no better epoxy overlay than our Poxi-Rock Flooring! This epoxy mortar was created with a proprietary aggregate that makes it possible to maintain a high resin to rock ratio while making it easy to trowel apply. This system can be hand or power trowel applied with ease and can be returned to active service within 6 hours of being installed (when temps are 72°F or higher).

### CHEM-ROCK BC

Available Colors: ①

This 100% solids epoxy broadcast system is user friendly and can be installed at 1/16"-3/16". It is the perfect system for medium to heavy duty floor areas where a solid color is acceptable.

### ROCK-TRED SL

Available Colors: ① \*③

When you need an industrial strength floor in a hurry, you can rely on our 1/8", resin-rich, 100% solids epoxy self-leveling system. This system is cost effective, self-priming over most concrete and easy to install over large square footage in short amounts of time. When the concrete is porous a primer is recommended to control out-gassing. An optional finish coat can be installed to meet additional performance requirements such as higher chemical and abrasion resistance, increased coefficient of friction and better UV resistance. \*This system is recommended to be only installed by contractors who have completed the Rock-Tred Institute 1, 2, & 3.

### NOVO-POXI CR

Available Colors: ①

Novo-Poxi CR is a 100% solids high density polymer broadcast system that can be installed at 1/16"-3/16". It is designed for areas that will be exposed to elevated temperatures or will require broad spectrum resistance to acids, caustics and other harsh chemicals. For a full list of chemical resistance testing contact the Rock-Tred technical service department.




# ONE DAY INSTALL




POLYMER COATING SOLUTIONS

# WALL AND CEILING


## FAST-FLOOR EP




## FAST-FLOOR UP




## FAST-FLOOR WBEP




## FAST-FLOOR FLEX




## FAST-FLOOR HT




## WC E2




## WC MAT LAY UP



## WC GRAFFITI RELEASE



## WC EP



When faster return to service is required Rock-Tred has you covered. Our Fast Floor series is unmatched for speed, ease-of-use and economy.

### FAST-FLOOR EP

Available Colors: ① ⑥ ⑦ ⑧

This 1/16" system combines our fast set epoxy resins, decorative elements and our high quality polyaspartic coatings to produce a beautiful floor finish that can be installed in one day. Not only can you finish the floor in a single day, but you do so with confidence knowing that our polyaspartic lineup is unmatched in abrasion, gloss and UV resistance!

### FAST-FLOOR UP

Available Colors: ① ⑥ ⑦ ⑧

This system allows for application on damp concrete and can achieve a higher film build at lower cost. To create an even faster cure in the Rock-Crete Dressing basecoat our Rock-Crete Accelerator may be added during mixing. This system is perfect for areas that will experience temperature fluctuations such as garage floors and light-duty industrial food and beverage facilities.

### FAST-FLOOR WBEP

Available Colors: ① ⑥

This one day flooring system is designed with the garage floor market at its center. Rock-Prime HB provides dry film thicknesses previously achievable only in 100% solids epoxy formulations. By broadcasting to rejection, capillaries are created during the curing process that act as pressure release points for moisture vapor. This feature helps to reduce moisture related call backs.

### FAST-FLOOR FLEX

Available Colors: ① ⑦ ⑧

When safety, beauty and fast return to service are critical our Fast-Floor Flex is the perfect solution! It is the perfect choice for basement floors, weight rooms, retail environments and any place where a softer, more ergonomic finish is desired.

### FAST-FLOOR HT

Available Colors: \*①

When you need an industrial strength floor in a short period of time look no further than our HT System. This system combines a tinted high build basecoat and our tinted waterborne urethane with a proprietary high wear filler to create our most abrasion resistant finish. It is VOC compliant, UV stable and can be completed with varying degrees of anti-slip texture in a matte or semi-gloss finish. \*Available in select standard colors. Speak to your ROCK-TRED representative for more details.

For almost every floor there are four walls and a ceiling that need protection. At Rock-Tred, unlike most flooring manufacturers, Wall and Ceiling coating systems are not an afterthought! Rock-Tred has been manufacturing Wall and Ceiling coatings solutions for decades. We apply the same rigorous testing to these systems as we do to our renowned flooring materials and we make them easy to use!

### WC E2

Available Colors: ①

Coating CMU (concrete masonry unit) can be a tough chore if you don't first fill the pores in the block. Our 100% solids epoxy E2 System combines a high viscosity block filler and a cycloaliphatic cured epoxy finish coat. This system produces an extremely durable wall/ceiling coating system for a variety of environments.

### WC Graffiti Release

Available Colors: \*①

Rock-Tred's Graffiti Release was created for environments like schools, public transportation, correctional facilities and hospitals. This system's stain resistant top coat helps eliminate unwanted marring of facility walls and ceilings and makes them easier to keep clean. This system is low VOC and low odor allowing it to be installed in occupied spaces where odors and VOCs may be a concern. \*Available in select standard colors. Speak to your ROCK-TRED representative for more details.

### WC MAT LAY UP

Available Colors: ①

For critical environments such as research labs, clean rooms and containment areas Rock-Tred offers our epoxy fiberglass lining system. This system provides a pinhole free and easy to sanitize surface that requires little or no maintenance. It resists harsh cleaners, acids, caustics, mild thermal shock and is completely renewable!

### WC EP

Available Colors: ④ ⑥ ⑦ ⑧

This system combines industrial strength without sacrificing an aesthetic appeal. It is the perfect system for factory lunchrooms, employee meeting areas, school hallways and any place requiring long term performance. WC EP provides excellent, cost-effective protection over drywall, CMU and a variety of other substrates.




# COLD TEMP SOLUTIONS




POLYMER COATING SOLUTIONS

# SOFT FLOOR


## COLD TEMP E45




## COLD TEMP E25




## COLD TEMP UTD




## COLD TEMP USL




## COLD TEMP ARCTIC




## SOFT FLOOR HUSH





## SOFT FLOOR POOL SAFE



## SOFT FLOOR DECK & BALCONY



## SOFT FLOOR SPORTSMAT SYSTEM



Rock-Tred designed our cold temperature flooring solutions because sometimes you have no choice but to work in the cold. From freezer floors and coolers to unheated job sites, Rock-Tred has a solution to meet your needs. Rock-Tred's Cold Temp Solutions meet the guidelines for installation in USDA/FDA inspected facilities.

### COLD TEMP E45

Available Colors: ①

This solid color system is composed of 100% solids epoxy resins with no VOCs and very low odor making it well suited for a large variety of low temp jobsites. This system can be installed down to 45°F as a slurry, a single broadcast or a double broadcast system. It is an economical, cold temperature system designed with ease of application in mind.

### COLD TEMP E25

Available Colors: ①

Like the E45 system, this solid color system is built with 100% solids epoxy resins, has no VOCs and produces very low odor. E25 can be economically installed down to 25°F as a slurry, a single or a double broadcast system.

### COLD TEMP USL

Available Colors: ① ⑥ ⑦ ⑧

When thermal shock is an issue, but sloping is not required our USL is the perfect selection. As a self-priming, cementitious urethane slurry our USL can be installed down to 40°F on large areas in little time. This allows for lower installation costs and faster return to service. \*This system can also be formulated with flakes or color quartz and topcoated with our P100 or P200 polyaspartics.

### COLD TEMP UTD

Available Colors: ① ⑥ ⑦ ⑧

When thermal shock and damp substrates exist and sloping to drains is required there is no better solution than our UTD cementitious urethane mortar. Formulated to cure down to 40°F, UTD was designed with food and beverage plants in mind. It has virtually no odor, easily handles acids and cleaning chemicals and is designed to handle large and constant temperature swings such as hot water wash downs. \*This system can also be formulated with flakes or color quartz and topcoated with our P100 or P200 polyaspartics.

### COLD TEMP ARCTIC

Available Colors: ① ⑥ ⑦ ⑧

This 1/16" system can be installed down to 0°F thanks to our proprietary polyol blend. Arctic combines our P200 polyaspartic with Rock-Tred's decorative elements to produce a beautiful finish even in the extreme cold!

Life is hard, but your floor doesn't have to be! Introducing our entire line of Soft Floors!

### SOFT FLOOR HUSH

Available Colors: ① ② \*③ ④

When sound absorption and a softer footprint coupled with long term performance are desired look no further! This 1/8"-3/16" flexible floor can be installed over a variety of substrates to create a seamless and sanitary flooring solution. Perfect for animal care and research, child play areas, water parks, etc. \*Our Floor Essence colors can be used by experienced installers after completion of Rock-Tred Institute courses 1, 2 & 3.

### SOFT FLOOR DECK & BALCONY

Available Colors: ① \*④

This 30 mil system will bridge small cracks and handle deflection often found in concrete decks and balconies. As an easy to install, economical, permanently flexible coating system it is perfect for indoor/outdoor locations that need the benefit of waterproofing and concrete protection at a competitive price. \*Optional flake broadcast is available, with slight modification to the system.

### SOFT FLOOR POOL SAFE

Available Colors: ②

While we don't encourage kids to run around the pool deck, we know they will walk fast-very fast! Our Soft Floor Pool Safe system provides a safer, softer non-skid surface. It also resists the chemicals typically used in pool and spa water, ultra violet light, and minor substrate movement.

### SOFT FLOOR SPORTSMAT

Available Colors: ① ④

Our Sportsmat System combines an adhered rubber underlayment with layers of our Elasti-Thane flexible urethanes to produce a forgiving, but very durable surface. Perfect for sport facilities, workout rooms, and other recreational areas. Details such as line striping can be applied to complete any design.